

*sub C1*  
a first inner bag accommodated in said outer bag and filled with a liquid, said first inner bag being equipped with an internal heating element for heating said liquid thereby raising a pressure of said liquid inside said first inner bag, said first inner bag being made liquid-impermeable except at least for a liquid-releasing hole that is closed by a first seal configured to open when the pressure of said liquid reaches a predetermined level thereby allowing said heated liquid to escape said first inner bag; and

a second inner bag accommodated in said outer bag and containing therein a substance to be mixed with said liquid, said second inner bag being made liquid permeable at least partially for allowing said heated liquid, after escaping said first inner bag, to enter said second inner bag and to heat and be mixed with said substance;

*B1*  
said outer bag having a vapor-releasing hole that is formed at the top of said outer bag and closed by a second seal configured to open when a pressure inside said outer bag reaches a predetermined value, and a liquid-releasing hole formed at the bottom of said outer bag for selectively discharging said heated and mixed liquid.

*Sub-E1*  
11. The container of claim 10, wherein said substance comprises at least one of solid and liquid foods.

*15 liquid not vapor*  
12. The container of claim 10, wherein said substance comprises at least one of seasoning, coffee and tea.

*Sub-E1*  
13. The container of claim 10, wherein said liquid is edible.

*Sub-D2*  
14. The container of claim 10, wherein said second inner bag is bonded to the bottom of said outer bag whereby only said heated and mixed liquid can be discharged from said outer bag. *vapor*

*Sub-E1*  
15. The container of claim 10, wherein said second seal is time adjustable.

*Sub. El. cont.* → 16. The container of claim 15, further comprising an indicator for displaying the time when said second seal is open.

17. The container of claim 10, further comprising a pressure indicator for indicating the pressure inside said outer bag.

*B1* 18. The container of claim 10, wherein said heating element includes at least two kinds of material which chemically react with each other and at the same time generate heat for heating said liquid, said at least two kinds of material being stored separately and isolate from said liquid, said at least two kinds of material being mixed to react upon application of an external force to said container.

19. The container of claim 10, wherein said first seal is positioned at one of the top and bottom of said first inner bag, and the predetermined pressure level, at which said first seal opens, is set to be higher when said first seal is placed on the bottom than when said first seal is placed on the top of said first inner bag.

*Sub c2s* 20. A container, comprising:  
an outer bag;  
a first inner bag accommodated in said outer bag and filled with a liquid, said first inner bag being made liquid-impermeable except at least for a liquid-releasing hole that is closed by a first seal configured to open when a pressure inside said first inner bag reaches a predetermined level by heating said liquid, thereby allowing said heated liquid to escape said first inner bag; and  
a second closed inner bag accommodated in said outer bag and containing therein a substance to be mixed with said liquid, said second inner bag being made liquid permeable at least

*sub C2*  
partially for allowing said liquid, after escaping said first inner bag, to enter said second inner bag and to heat and be mixed with said substance.

*Sub. E1*  
21. The container of claim 20, wherein said first inner bag is equipped with an internal heating element for heating said liquid in said first inner bag.

22. The container of claim 20, wherein said outer bag has a vapor-releasing hole that is formed at the top of said outer bag and closed by a second seal configured to open when a pressure inside said outer bag reaches a predetermined value.

*B1*  
*Sub D4*  
23. The container of claim 20, wherein said outer bag has a [liquid] releasing hole formed at the bottom of said outer bag for selectively discharging [said heated and mixed liquid]. *delete to make clear.*

24. The container of claim 23, wherein said second inner bag is bonded to the bottom of said outer bag whereby only said [heated and mixed liquid] can be discharged from said outer bag. *vapor* *whereby*

*Sub. E1*  
25. The container of claim 20, wherein said liquid and substance are edible. --